

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) A support system, comprising:

a structure for bearing a load;

at least one first engagement mechanism integrally formed with said structure; and

a first arm for each of said first engagement mechanisms, each first arm having a proximal end engaged in a respective first engagement mechanism and an opposite distal end shaped to hook over a support whereby said structure is supported on said support by hooking said distal end of said arm over said support.

2. (Original) The support system according to Claim 1 wherein each of said first arms is adjustable engaged by a respective one of said first engagement mechanisms whereby said distal end of said first arm can be positioned at one of a plurality of distances from said structure.

3. (Original) The support system according to Claim 2 wherein said support system further comprises a first releasable locking mechanism which releasably locks said distal end of said first arm at one of a plurality of said distances from said structure.

4. (Original) the support system according to claim 3 wherein said releasable locking mechanism comprises a plurality of ratchet teeth formed on one of said first arm and said first engagement mechanism, and a pawl formed on the other of said first arm and said first engagement mechanism, said pawl biased into engagement with said teeth.

5. (Original) The support system according to Claim 1 further comprising at least one second engagement mechanism integrally formed with said structure; and

a second arm for each of said second engagement mechanisms, each second arm having a proximal end engaged in a respective second engagement mechanism and an opposite distal end configured to abut said support.

6. (Original) The support system according to Claim 5 wherein said distal end of said second arms is disposed below a position where said first arm hooks over said support.

7. (Original) The support system according to Claim 5 wherein each second arm is adjustable engaged by a respective second engagement mechanism whereby said distal end of each second arm can be positioned at one of a plurality of distances from said structure.

8. (Original) The support system according to Claim 7 further comprising a second releasable locking mechanism which releasably locks said distal end of each of said second arms at one of said plurality of distances from said structure.

9. (Currently Amended) The support system according to Claim 5 wherein said structure comprises a ~~planar surface~~ receptacle.

10. (Original) The support system according to Claim 9 wherein said receptacle comprises a base and a peripheral structure extending from said base and having an upper end defining an opening into which said articles can be placed into said receptacle; said first engagement structures formed integrally at said upper end of the peripheral wall, and said second engagement structures formed integrally with said receptacle adjacent said base.

11. (Original) The support system according to Claim 5 wherein said structure comprises a planar surface.

12. (Original) The support system according to Claim 5 wherein said structure comprises a substantially planar frame.